



CLAIMS

What is claimed is:

1	1.	A method for a revenue model in a network-based supply chain management
2		framework, comprising:
3	a)	receiving data from a plurality of stores of a supply chain utilizing a network;
4	b)	allowing a user to access the data utilizing a network-based interface;
5	c)	identifying the user accessing the network-based interface;
6	d)	displaying a first web-page of the network-based interface if the user is identified
7		as a store, a second web-page of the network-based interface if the user is
8		identified as a distributor, and a third web-page of the network-based interface if
9		the user is identified as a supplier;
10	e)	advertising to the user on at least one of the web-pages in accordance with the
11		identification;
12	f)	analyzing the data being accessed by the user; and
13	g)	advertising to the user on at least one of the web-pages in accordance with the
14		analysis.
j		
14	2.	The method of claim 1, further comprising offering to sell the user products from
2		a third party that are related to the store utilizing the network-based interface, and
3		charging the third party a fee based on a number of the products sold to the user
4		utilizing the network-based interface.
1	3.	The method of claim 1, further comprising identifying the users upon accessing
2		the data utilizing the network-based interface, and charging the users a fee based
3		on a number of times the users access the data utilizing the network-based
4		interface.



Ø

H

'n.į

٦.,

١,....

I W

N



- The method of claim 1, further comprising displaying a plurality of goods to the users accessing the data utilizing the network-based interface, and allowing the acceptance of bids on the goods from the users utilizing the network.
- The method of claim 1, further comprising transmitting the data to suppliers of the supply chain utilizing the network, wherein the suppliers offer raw products used for producing the goods at a predetermined price, the price decreasing as a function of time during a predetermined duration.
- 1 6. A computer program product for a revenue model in a network-based supply chain management framework, comprising:
- a) computer code for receiving data from a plurality of stores of a supply chain
 utilizing a network;
- 5 b) computer code for allowing a user to access the data utilizing a network-based interface;
- 7 c) computer code for identifying the user accessing the network-based interface;
- d) computer code for displaying a first web-page of the network-based interface if
 the user is identified as a store, a second web-page of the network-based interface
 if the user is identified as a distributor, and a third web-page of the network-based
 interface if the user is identified as a supplier;
- computer code for advertising to the user on at least one of the web-pages in accordance with the identification;
- 14 f) computer code for analyzing the data being accessed by the user; and
- computer code for advertising to the user on at least one of the web-pages in accordance with the analysis.
- The computer program product of claim 6, further comprising computer code for offering to sell the user products from a third party that are related to the store utilizing the network-based interface, and computer code for charging the third party a fee based on a number of the products sold to the user utilizing the network-based interface.





1	8.	The computer program product of claim 6, further comprising computer code for
2		identifying the users upon accessing the data utilizing the network-based
3		interface, and computer code for charging the users a fee based on a number of
4		times the users access the data utilizing the network-based interface.

- The computer program product of claim 6, further comprising computer code for displaying a plurality of goods to the users accessing the data utilizing the network-based interface, and computer code for allowing the acceptance of bids on the goods from the users utilizing the network.
- 1 10. The computer program product of claim 6, further comprising computer code for transmitting the data to suppliers of the supply chain utilizing the network,
 3 wherein the suppliers offer raw products used for producing the goods at a
 4 predetermined price, the price decreasing as a function of time during a
 5 predetermined duration.
- 1 11. A computer product for a revenue model in a network-based supply chain 2 management framework, comprising:
- a) computer signal for receiving data from a plurality of stores of a supply chain
 utilizing a network;
- 5 b) computer signal for allowing a user to access the data utilizing a network-based 6 interface;
- 7 c) computer signal for identifying the user accessing the network-based interface;
- d) computer signal for displaying a first web-page of the network-based interface if
 the user is identified as a store, a second web-page of the network-based interface
 if the user is identified as a distributor, and a third web-page of the network-based
- interface if the user is identified as a supplier;
- computer signal for advertising to the user on at least one of the web-pages in accordance with the identification;
- 14 f) computer signal for analyzing the data being accessed by the user; and

2

3

4

1

2

3

4

5





15	g)	computer signal for advertising to the user on at least one of the web-pages in
16		accordance with the analysis.

- 1 12. The computer product of claim 11, further comprising computer signal for offering to sell the user products from a third party that are related to the store utilizing the network-based interface, and computer signal for charging the third party a fee based on a number of the products sold to the user utilizing the network-based interface.
- 1 13. The computer product of claim 11, further comprising computer signal for
 2 identifying the users upon accessing the data utilizing the network-based
 3 interface, and computer signal for charging the users a fee based on a number of
 4 times the users access the data utilizing the network-based interface.
 - 14. The computer product of claim 11, further comprising computer signal for displaying a plurality of goods to the users accessing the data utilizing the network-based interface, and computer signal for allowing the acceptance of bids on the goods from the users utilizing the network.
 - 15. The computer product of claim 11, further comprising computer signal for transmitting the data to suppliers of the supply chain utilizing the network, wherein the suppliers offer raw products used for producing the goods at a predetermined price, the price decreasing as a function of time during a predetermined duration.
- 1 16. A system for a revenue model in a network-based supply chain management 2 framework, comprising:
- a) means for receiving data from a plurality of stores of a supply chain utilizing a network;
- 5 b) means for allowing a user to access the data utilizing a network-based interface;
- 6 c) computer signal for identifying the user accessing the network-based interface;






		<u> </u>
7	d)	means for displaying a first web-page of the network-based interface if the user is
8		identified as a store, a second web-page of the network-based interface if the user
9		is identified as a distributor, and a third web-page of the network-based interface
10		if the user is identified as a supplier;
11	e)	means for advertising to the user on at least one of the web-pages in accordance
12		with the identification;
13	f)	means for analyzing the data being accessed by the user; and
14	g)	means for advertising to the user on at least one of the web-pages in accordance
15		with the analysis.
1	17.	The system of claim 16, further comprising means for offering to sell the user
2		products from a third party that are related to the store utilizing the network-based
3		interface, and means for charging the third party a fee based on a number of the
4		products sold to the user utilizing the network-based interface.
1	10	The content of aloin 16 foother commission was a few identificing the community
1	18.	The system of claim 16, further comprising means for identifying the users upon
2		accessing the data utilizing the network-based interface, and means for charging
3		the users a fee based on a number of times the users access the data utilizing the
4		network-based interface.
1	19.	The system of claim 16, further comprising means for displaying a plurality of
2		goods to the users accessing the data utilizing the network-based interface, and
3		means for allowing the acceptance of bids on the goods from the users utilizing
4		the network.

The system of claim 16, further comprising means for transmitting the data to suppliers of the supply chain utilizing the network, wherein the suppliers offer raw products used for producing the goods at a predetermined price, the price decreasing as a function of time during a predetermined duration.





	1	21.	A method for a revenue model in a network-based supply chain management
	2		framework, comprising:
	3	a)	receiving data from a plurality of stores of a supply chain utilizing a network;
	4	b)	allowing a user to access the data utilizing a network-based interface;
	5	c)	identifying the user accessing the network-based interface;
	6	d)	displaying a first web-page of the network-based interface if the user is identified
	7		as a store, a second web-page of the network-based interface if the user is
	8		identified as a distributor, and a third web-page of the network-based interface if
	9		the user is identified as a supplier;
	10	e)	offering to sell the user products from a third party that are related to the store
	11		utilizing the network-based interface;
	12	f)	charging the third party a fee based on a number of the products sold to the user
	13		utilizing the network-based interface; and
J	14	g)	charging the users a fee based on a number of times the users access the data
	15		utilizing the network-based interface.
Z.			
tong it,	1	22.	A computer program product for a revenue model in a network-based supply
	2		chain management framework, comprising:
	3	a)	computer code for receiving data from a plurality of stores of a supply chain
	4		utilizing a network;
	5	b)	computer code for allowing a user to access the data utilizing a network-based
	6		interface;
	7	c)	computer code for identifying the user accessing the network-based interface;
	8	d)	computer code for displaying a first web-page of the network-based interface if
	9		the user is identified as a store, a second web-page of the network-based interface
	10		if the user is identified as a distributor, and a third web-page of the network-based
	11		interface if the user is identified as a supplier;
	12	e)	computer code for offering to sell the user products from a third party that are
	13		related to the store utilizing the network-based interface;
	14	f)	computer code for charging the third party a fee based on a number of the
	15		products sold to the user utilizing the network-based interface; and



	16	g)	computer code for charging the users a fee based on a number of times the users
	17		access the data utilizing the network-based interface.
	1	23.	A computer product for a revenue model in a network-based supply chain
	2		management framework, comprising:
	3	a)	computer signal for receiving data from a plurality of stores of a supply chain
	4		utilizing a network;
	5	b)	computer signal for allowing a user to access the data utilizing a network-based
	6		interface;
	7	c)	computer signal for identifying the user accessing the network-based interface;
	8	d)	computer signal for displaying a first web-page of the network-based interface if
	9		the user is identified as a store, a second web-page of the network-based interface
	10		if the user is identified as a distributor, and a third web-page of the network-based
	11		interface if the user is identified as a supplier;
IJ	12	e)	computer signal for offering to sell the user products from a third party that are
	13		related to the store utilizing the network-based interface;
Bras. with steel steels	14	f)	computer signal for charging the third party a fee based on a number of the
녋	15		products sold to the user utilizing the network-based interface; and
]	16	g)	computer signal for charging the users a fee based on a number of times the users
THE W. W. T.	17		access the data utilizing the network-based interface.
Ų			
-	1	24.	A system for a revenue model in a network-based supply chain management
	2		framework, comprising:
	3	a)	means for receiving data from a plurality of stores of a supply chain utilizing a
	4		network;
	5	b)	means for allowing a user to access the data utilizing a network-based interface;
	6	c)	means for identifying the user accessing the network-based interface;
	7	d)	means for displaying a first web-page of the network-based interface if the user is
	8	•	identified as a store, a second web-page of the network-based interface if the user
	9		is identified as a distributor, and a third web-page of the network-based interface
	10		if the user is identified as a supplier;
			A A



(O

14 LT

١, ١,٠

 \Box

Ш

U



means for offering to sell the user products from a third party that are related to 11 e) 12 the store utilizing the network-based interface; 13 f) means for charging the third party a fee based on a number of the products sold to 14 the user utilizing the network-based interface; and 15 means for charging the users a fee based on a number of times the users access the g) 16 data utilizing the network-based interface. 1 25. A method for a revenue model in a network-based supply chain management 2 framework, comprising: 3 receiving data from a plurality of stores of a supply chain utilizing a network; a) 4 b) allowing a user to access the data utilizing a network-based interface; 5 identifying the user accessing the network-based interface; c) 6 displaying a first web-page of the network-based interface if the user is identified d) 7 as a store, a second web-page of the network-based interface if the user is 8 identified as a distributor, and a third web-page of the network-based interface if 9 the user is identified as a supplier; 10 advertising to the user on at least one of the web-pages in accordance with the e) 11 identification; 12 f) analyzing the data being accessed by the user; 13 g) advertising to the user on at least one of the web-pages in accordance with the 14 analysis; 15 offering to sell the user products from a third party that are related to the store h) 16 utilizing the network-based interface; 17 i) charging the third party a fee based on a number of the products sold to the user 18 utilizing the network-based interface; 19 charging the users a fee based on a number of times the users access the data j) 20 utilizing the network-based interface; 21 k) displaying a plurality of goods to the users accessing the data utilizing the 22 network-based interface; 23 1) allowing the acceptance of bids on the goods from the users utilizing the network;





24	m)	transmitting the data to suppliers of the supply chain utilizing the network,
25		wherein the suppliers offer raw products used for producing the goods at a
26		predetermined price, the price decreasing as a function of time during a
27		predetermined duration
1	26.	A computer program product for a revenue model in a network-based supply
2		chain management framework, comprising:
3	a)	computer code for receiving data from a plurality of stores of a supply chain
4		utilizing a network;
5	b)	computer code for allowing a user to access the data utilizing a network-based
6		interface;
7	c)	computer code for identifying the user accessing the network-based interface;
8	d)	computer code for displaying a first web-page of the network-based interface if
9		the user is identified as a store, a second web-page of the network-based interface
10		if the user is identified as a distributor, and a third web-page of the network-based
11		interface if the user is identified as a supplier;
12	e) .	computer code for advertising to the user on at least one of the web-pages in
13		accordance with the identification;
14	f)	computer code for analyzing the data being accessed by the user;
15	g)	computer code for advertising to the user on at least one of the web-pages in
16		accordance with the analysis;
17	h)	computer code for offering to sell the user products from a third party that are
18		related to the store utilizing the network-based interface;
19	i)	computer code for charging the third party a fee based on a number of the
20		products sold to the user utilizing the network-based interface;
21	j)	computer code for charging the users a fee based on a number of times the users
22		access the data utilizing the network-based interface;
23	k)	computer code for displaying a plurality of goods to the users accessing the data
24		utilizing the network-based interface;
25	1)	computer code for allowing the acceptance of bids on the goods from the users
26		utilizing the network:





	27	m)	computer code for transmitting the data to suppliers of the supply chain utilizing
	28		the network, wherein the suppliers offer raw products used for producing the
	29		goods at a predetermined price, the price decreasing as a function of time during a
	30		predetermined duration
	1	27.	A computer product for a revenue model in a network-based supply chain
	2		management framework, comprising:
	3	a)	computer signal for receiving data from a plurality of stores of a supply chain
	4		utilizing a network;
	5	b)	computer signal for allowing a user to access the data utilizing a network-based
	6		interface;
	7	c)	computer signal for identifying the user accessing the network-based interface;
13	8	d)	computer signal for displaying a first web-page of the network-based interface if
	9		the user is identified as a store, a second web-page of the network-based interface
10	10		if the user is identified as a distributor, and a third web-page of the network-based
11	11		interface if the user is identified as a supplier;
7.4	12	e)	computer signal for advertising to the user on at least one of the web-pages in
* j	13		accordance with the identification;
	14	f)	computer signal for analyzing the data being accessed by the user;
74	15	g)	computer signal for advertising to the user on at least one of the web-pages in
IJ	16		accordance with the analysis;
<u> </u> 4	17	h)	computer signal for offering to sell the user products from a third party that are
	18		related to the store utilizing the network-based interface;
	19	i)	computer signal for charging the third party a fee based on a number of the
	20		products sold to the user utilizing the network-based interface;
	21	j)	computer signal for charging the users a fee based on a number of times the users
	22		access the data utilizing the network-based interface;
	23	k)	computer signal for displaying a plurality of goods to the users accessing the data
	24		utilizing the network-based interface;
	25	1)	computer signal for allowing the acceptance of bids on the goods from the users
	26		utilizing the network:



	27 ·	m)	computer signal for transmitting the data to suppliers of the supply chain utilizing
	28		the network, wherein the suppliers offer raw products used for producing the
	29		goods at a predetermined price, the price decreasing as a function of time during a
	30		predetermined duration
	1	28.	A system for a revenue model in a network-based supply chain management
	2		framework, comprising:
	3	a)	means for receiving data from a plurality of stores of a supply chain utilizing a network;
	5	b)	means for allowing a user to access the data utilizing a network-based interface;
	6	c)	means for identifying the user accessing the network-based interface;
	7	d)	means for displaying a first web-page of the network-based interface if the user is
	8		identified as a store, a second web-page of the network-based interface if the user
Ţ	9		is identified as a distributor, and a third web-page of the network-based interface
	10		if the user is identified as a supplier;
	11	e)	means for advertising to the user on at least one of the web-pages in accordance
ايد ^و	12		with the identification;
* - -[13	f)	means for analyzing the data being accessed by the user;
	14	g)	means for advertising to the user on at least one of the web-pages in accordance
IJ	15		with the analysis;
	16	h)	means for offering to sell the user products from a third party that are related to
j 4	17		the store utilizing the network-based interface;
	18	i)	means for charging the third party a fee based on a number of the products sold to
	19		the user utilizing the network-based interface;
	20	j)	means for charging the users a fee based on a number of times the users access the
	21		data utilizing the network-based interface;
	22	k)	means for displaying a plurality of goods to the users accessing the data utilizing
	23		the network-based interface;
	24	1)	means for allowing the acceptance of bids on the goods from the users utilizing
	25		the network:





26	m)	means for transmitting the data to suppliers of the supply chain utilizing the
27		network, wherein the suppliers offer raw products used for producing the goods at
28		a predetermined price, the price decreasing as a function of time during a
29		predetermined duration